









ITEM NO.	PART NUMBER	QTY.
1	2540F-MH	1
2	2540-ADAPTER	1
3	2540-PLUG	1
4	300EC06-MF	1

TITLE: 2540-MFA		MATERIAL: 304 SS		NAME	TOLERANCES UNLESS OTHERWISE SPECIFIED DECIMALS IN MM X +/- .1 +/- .8 XX +/- .01 +/- .25 XXX +/- .00 ANGULAR +/- 1° +/- 1°		PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BEST VALUE VACS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BEST VALUE VACS IS PROHIBITED.
		FINISH: N/A	DRAWN	MO			
DATE: 2/28/2024	REVISION: 04	UNITS: INCH	CHECKED				
SHEET: 1 OF 5	SHEET SIZE: A	SCALE: 1:5	ENG APPR.				






NOTE: Pressure rated for 600 PSI

TITLE: 2540-MH		MATERIAL: 304 SS		NAME	TOLERANCES UNLESS OTHERWISE SPECIFIED DECIMALS IN MM X +/- .1 +/- .8 XX +/- .01 +/- .25 XXX +/- .005 ANGULAR +/- 1° +/- 1°		PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BEST VALUE VACS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BEST VALUE VACS IS PROHIBITED.
		FINISH: N/A	DRAWN	MO			
DATE: 2/28/2024	REVISION: 04	UNITS: INCH	CHECKED				
SHEET: 2 OF 5	SHEET SIZE: A	SCALE: 1:10	ENG APPR.				



SECTION C-C

TITLE: 2540-ADAPTER		MATERIAL: 304 SS		NAME	TOLERANCES UNLESS OTHERWISE SPECIFIED DECIMALS IN MM X +/- .1 +/- .8 XX +/- .01 +/- .25 XXX +/- .00 ANGULAR +/- 1° +/- 1°		PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BEST VALUE VACS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BEST VALUE VACS IS PROHIBITED.
		FINISH: N/A	DRAWN	MO			
DATE: 2/28/2024	REVISION: 04	UNITS: INCH	CHECKED				
SHEET:3 OF 5	SHEET SIZE: A	SCALE: 1:2	ENG APPR.				



SECTION D-D

TITLE:
2540-PLUG

MATERIAL: 304 SS

NAME

TOLERANCES
UNLESS OTHERWISE SPECIFIED

DATE: 2/28/2024

REVISION: 04

FINISH: N/A

DRAWN

MO

SHEET: 4 OF 5

SHEET SIZE: A

UNITS: INCH

CHECKED

SCALE: 1:2





ENG APPR.

DECIMALS	IN	MM
X	+/- .1	+/- .8
XX	+/- .01	+/- .25
XXX	+/- .00	
ANGULAR	+/- 1°	+/- 1°



PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BEST VALUE VACS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BEST VALUE VACS IS PROHIBITED.



SECTION E-E

TITLE: 300EC06-MF		MATERIAL: 304 SS		NAME	TOLERANCES UNLESS OTHERWISE SPECIFIED DECIMALS IN MM X +/- .1 +/- .8 XX +/- .01 +/- .25 XXX +/- .00 ANGULAR +/- 1° +/- 1°		PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BEST VALUE VACS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BEST VALUE VACS IS PROHIBITED.
		FINISH: N/A	DRAWN	MO			
DATE: 2/28/2024	REVISION: 04	UNITS: INCH	CHECKED				
SHEET: 5 OF 5	SHEET SIZE: A	SCALE: 1:2	ENG APPR.				