

King Kone

HOW TO USE A KING KONE PRE-ROLL FILLING MACHINE



Lid



**Clear Standard
Tray Set**



Skirt



Perforated Plate



Slope Platform



Side Trough



**Adjustment
Knob**



Power Button



Setting Screen



Step 1: Place the packing tray of your choice on top of the King Kone Pre-roll packing machine base.

(Clear Standard Tray Set)



(Dog Walker Tray)



(JT Tray)



(Reefer Slim Tray)



(Conversion Kit)



Note: Depending on the cone size of your choice, you will distinguish the appropriate size cone packing tray:

- **Clear Standard Tray Set**(provided with purchase of machine):

- **Clear Standard Bottom tray:** packs 169 count of 84mm and 98mm cones

- **Clear Standard Bottom Tray + Clear Standard Top Tray:** packs 169 count of 109mm cones

- **Dog Walker Tray:** packs 169 count of 70mm cones

- **JT Tray:** packs 169 count of 60mm cones

- **Reefer Slim Tray:** packs 169 count of 98mm slim cones


- **Conversion Kit:** packs 115 count of straight cylindrical tubes

- **Note:** Conversion kits need to be used with an insert size of your choice depending on the diameter of the straight tube you have sourced to pack.


(Bottom Tray)




84mm




98mm



(Bottom and Top Tray)




109mm



(Dog Walker Tray)




70mm



(JT Tray)




60mm




(Reefer Slim Tray)



98mm Slim



Step 2: Arrange your pre-rolled cones inside each cavity of the packing tray that corresponds with the same size cones that you have chosen to utilize.




Step 3: Once all the cones have been loaded, plug in the machine and turn on your power button; do NOT turn up the setting on the adjustable dial.

Step 4: Fill the cones half way with grinded material. We strongly recommend packing any size cone incrementally. Doing so allows for the cone to be evenly packed with the appropriate density.



Note: Sifting your material is subjective to each operation's needs/ circumstances.



Note: This step can be done by hand, however we offer a Portion Control Metering Tray to assist in this step of the procedure. Utilizing the Portion Control Metering Tray allows for each cone to be filled evenly and accurately: eliminating the guess work and preserving the operator's time.

Note: Every material is different in consistency- some require a longer or shorter duration of run time and setting to achieve the desired packing results.





Step 5: Place the lid on top of the packing tray and turn up the dial setting to 15-18 to initiate the vertical bounce motion. This will begin the packing process. Let the machine run for about 2.5-3 minutes.

Note: It is important to allow the machine to run for the suggested duration so that the proper density is met. Failure to do so will result in a loose joint and a weak crutch that does not support the filled cone.


Step 6: Repeat steps 4 and 5 to complete the filling process of the cones.

Note: When doing the second increment of packing the product, turning the setting up might be needed for a more vigorous motion, since you will be handling more product.

Step 7: Once the cones are finished being packed there should be about 1/4" of paper remaining on your cone so that the closing process can follow.



(Packing Fingers)



Note: We offer an accessory that tampers the product down, the Packing Fingers, providing that extra paper needed for the closure of the cones. If using the Packing Fingers, place the fingers on top of the packed cones and run the machine for an additional 1 minute. The weight of the tampers will push down the product on the surface of the cone, resulting in the 1/4" of paper to be freed up.



Step 8: Turn the machine off and remove the lid. Then proceed by gently lifting the packing tray off of the machine and placing on a clean and flat surface: the cones will protrude out from the top of the packing tray so that the appropriate closing procedure can take place.

For for more information, please scan the QR code to visit our website.



KINGKONEUSA.COM

CLEANING THE KING KONE PRE-ROLL PACKING MACHINE

Step 1: Remove the 2 collection troughs from the sides, empty any residual product and dust off the remaining product using a soft bristled brush or an air pressure method of choice.

Step 2: Slide the 2 locks to the left- unlocking the skirt from its position.

Step 3: Lift and remove the skirt from the base of the machine.

Step 4: Dust off any surfaces that contain any particles remaining.

Step 5: Isopropyl alcohol can then be utilized to further sanitize all surfaces.

Step 6: Reassemble the components on the machine and assure the locks are transferred to the right- placing them in the "Locked position".



For for more information, please scan the QR code to visit our website.



KINGKONEUSA.COM

King Kone

KINGKONEUSA.COM



King Kone

CATALOG 2024

KING KONE METAL MACHINE

The King Kone pre-roll cone filling machine is ideal for businesses who are looking to efficiently increase production, with time on their side. This newer model, metal King Kone machine, is more substantial and heavy duty, resulting in superior outcomes. Our modular machine is affordable, versatile and user friendly. It contains all of the necessary components to pack half-gram 84mm pre-rolled cones, 3/4-gram 98mm pre-rolled cones, and 1 gram 109mm king-sized pre-rolled cones! Simply set up the appropriate cone filling trays, load the cones, and initiate the process by filling the top tray with your desired product. What makes our product unique, compared to others, is the adjustable knob that allows for the desired density, while packaging your product.



**KING KONE
VERSION 2.0
\$2,049**

King Kone COLORS



CHERRY



CANDY GREEN



ARMY GREEN



HOT PINK



RED

TRAYS



2 PIECE TRAY SET \$375

This set of clear top and bottom trays is included with your purchase of the King Kone Machine. The bottom clear tray (89mm) along with the top clear tray (20mm) give the customer the ability to fill 98mm, 109mm cones.



SLIM TRAY (REEFER) \$375

This tray top is an additional attachment sold separately. It measures to be 70mm to accommodate the Slim Reefer sized cones.



DOG WALKER \$375

This tray top is an additional attachment sold separately. It measures to be 70mm to accommodate the Dog Walker sized cones.



JT TRAY \$375

This tray top is an additional attachment sold separately. It measures to be 60mm to accommodate the 60mm jeeter cones.

DUTCH CLOSER

\$1799 FOR 84MM OR 98MM OR 70MM

\$1999 FOR KING SIZE

Crown your pre-roll with a Dutch finish in just 4 easy steps. With this closer, you can produce up to 1,000 pre-rolls per hour from start to finish.



KING SIZE PACKING TRAY FOR CLOSER
\$275



84MM CLOSER TRAY FOR CLOSER
\$135



109MM CLOSER TRAY FOR CLOSER
\$135



70MM CLOSER TRAY FOR CLOSER
\$135



KING SHRED

\$3400

This is a one of a kind grinder that guarantees a consistent grind every run! Many people who use other grinders face an issue of pulverizing their product leaving dust, chunks, and clusters: making it unpleasant to roll with. This machine has been designed to eliminate all of those unwanted outcomes and ensures the desired consistent and fluffy grind. It contains a motorized hopper that has the ability to work through a pound of material in 1.5 minutes. The King Shred is easy to clean and maintain. There is no doubt that it will increase the efficacy and quality of your production.



RED



ARMY GREEN



ARMY GREEN



PINK

**PORTION CONTROL TRAY
FOR 169 CONES OR 115 TUBES
(.5,.35,.7G METERING TRAY)
\$475**

This loading platform takes away the guesswork and allows the distribution of a precise amount of .5 grams of material per pre-roll, when going through the filling process. With the Sliding Plate installed on the bottom, the Loader is packed with material to the desired height/ weight based on your particular grind consistency. Once the Loader is mounted to top of the Bottom Base the Sliding Plate can be pulled out, in which the material will fall down into the Top platform and loaded into the pre-roll.



**169X 1/2 GRAM
METERING TRAY**



**115X 1/2 GRAM
METERING TRAY**

**COMPACTING FINGERS
\$375**

This accessory is utilized at the end of the packing process to pack the end of the product down, in order to close off the cone

169 COMPACTOR

- STANDARD
- DOG WALKER SLIMS



115 COMPACTOR



CONVERSION KIT

\$400

This is a modular packing platform that is designed to load cylindrical cigarette style pre-rolls. The interchangeable inserts hold 115 1 gram to 2 gram pre-rolled cylinders and smaller cigarette style diameters (Inserts accomodate the desired size). On the bottom component of the tray, the vertically moving plate mounts directly to the sloped platform, which will mount to the installed magnets. It is important that the original slotted black plate is removed before operation to perform correctly. Special designs have been made for to this tray to avoid the roll falling through the bottom, after the vibration.



9MM - \$375



10MM - \$375



11MM - \$375



12MM - \$375



13MM - \$375



14MM - \$375



King Kone

KINGKONEUSA.COM

