



BVV
1251 Frontenac Road
Naperville, IL 60563
Phone: 331-281-0154
Email: support@shopbv.com

CERTIFICATE OF ANALYSIS (EXAMPLE)

PRODUCT: NORMAL HEXANE

	<u>SPECIFICATION</u>	<u>ANALYSIS</u>
n-HEXANE, wt% by G.C.	MINIMUM 97.0	99.10
METHYLCYCLOPENTANE, wt%, by G.C.	MAXIMUM 1.0	0.20
CYCLOHEXANE, wt%, by G.C.	MAXIMUM 1.0	<0.01
2-METHYLPENTANE, wt%, by G.C.	MAXIMUM 2.0	<0.01
3-METHYLPENTANE, wt%, by G.C.	MAXIMUM 2.0	0.66
C7 + HYDROCARBONS, wppm, by G.C.	MAXIMUM 100.0	70.000
		<0.1
BENZENE, WPPM, by G.C.	MAXIMUM 5.0	0.36
SULFUR, WPPM, ASTM 05453	MAXIMUM 1.00	0.1
NON-VOLATILE CONTENT, mg/100ml, ASTM 01353*	MAXIMUM 5.0	
		17.9
WATER CONTENT, WPPM, ASTM 06304	MAXIMUM 100.0	
BROMINE INDEX* mgBr/100g, ASTM 01492	MAXIMUM 30.0	<1.0
APPEARANCE, Visual	CLEAR AND COLORLESS	CLEAR AND COLORLESS
SPECIFIC GRAVITY	0.6643	
API GRAVITY	81.50	
DENSITY LBS/GAL.	5.53	

* Please consult the SDS for further information. BVV represents only that the Product shall meet the specifications herein. All transactions involving this product are subject to BVV standard terms and conditions. BVV makes no additional representations or warranties, express or implied, through this COA.